



# UNITED STATES PATENT AND TRADEMARK OFFICE

*mj*  
UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION N
10/023,457	12/17/2001	Laurie Couture-Dorschner	KCC-16,588	2264
35844	7590	10/06/2004		
PAULEY PETERSEN & ERICKSON 2800 WEST HIGGINS ROAD HOFFMAN ESTATES, IL 60195			EXAMINER STEPHENS, JACQUELINE F	
			ART UNIT 3761	PAPER NUMBER

DATE MAILED: 10/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/023,457	<b>Applicant(s)</b> COUTURE-DORSCHNER ET AL.	
	<b>Examiner</b> Jacqueline F Stephens	<b>Art Unit</b> 3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 15 July 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-59 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 59 is/are allowed.
- 6) ☒ Claim(s) 1-48 and 52-58 is/are rejected.
- 7) ☒ Claim(s) 49-51 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments with respect to claims 1-48 and 52-58 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1-58 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Applicant claims in independent claims 1, 15, 19, 36, and 52 the mating fastening component being in the unfastened condition. It is unclear to the examiner when the garment is in an unfastened condition. Does the garment remain in an unfastened condition? If so, this contradicts the "mating" language, which denotes that at some point the item has to be fastened. It is unclear whether the item is never fastened.

### ***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 3761

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

5. Claims 1-4, 8-21, 29-43, 46-48, and 52-58, as best understood by the examiner are rejected under 35 U.S.C. 102(b) as being anticipated by Elsberg USPN 6287287.

As to claim 1, Elsberg discloses a disposable garment comprising: at least one front panel 36 comprising a fastening component 66; at least one back panel 42 comprising a mating fastening component 64; at least one frangible bond 80 connecting the front panel and the back panel, the fastening component and the mating fastening component being in the unfastened condition (col. 2, lines 27-46).

As to claim 2, Elsberg discloses the garment further comprises at least one first opening and at least one second opening (Figures 2-4).

As to claim 3, Elsberg discloses the frangible bonds can be continuous lines (col. 16, line 62). Since the frangible bonds 80, 82 are shown at the waist opening and leg opening (Figure 2), it is reasonable to conclude a continuous bond would also extend from the waist to the leg opening.

As to claim 4, see Figure 1.

As to claim 8, Elsberg discloses a strength of the frangible bond is in a range from about 10 grams to about 2700 grams (col. 17, lines 17-23).

As to claim 9, Elsberg discloses a strength of the frangible bond is less than about 2700 g (col. 17, lines 17-23).

As to claim 10, Elsberg discloses a strength of the frangible bond is in a range from about 200 grams to about 2000 grams (col. 17, lines 17-23).

As to claim 11, Elsberg discloses a strength of the frangible bond is less than about 2000 g (col. 17, lines 17-23).

As to claim 12, Elsberg discloses a strength of the frangible bond is in a range from about 500 grams to about 1000 grams (col. 17, lines 17-23).

As to claim 13, Elsberg discloses a strength of the frangible bond is less than about 1000 g (col. 17, lines 17-23).

As to claim 14, Elsberg discloses the frangible bond 80 is located on a tab 56, which extends from one of the front panel and the back panel (Figure 3).

As to claim 15, the limitation regarding the mating fastening component being engageable only upon breaking the frangible bond is directed to an intended use of the article. Intended use must result in a structural difference between the claimed

invention and the prior art in order to patentably distinguish the claimed invention from the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). If the prior art structure is capable of performing the intended use, then it meets the claim limitations. The invention of Elsberg meets the structural limitations of the claim in that the article comprises a front side panel comprising a fastening component; a back side panel comprising a mating fastening component; a frangible bond 80, 82 connecting the front side panel and the back side panel, the fastening component and the mating fastening component being in the unfastened condition (Figure 4 and col. 2, lines 27-46).

As to claim 16, Elsberg discloses a strength of the frangible bond is less than about 2700 grams (col. 17, lines 17-23).

As to claim 17, Elsberg discloses a strength of the frangible bond is less than about 2000 grams (col. 17, lines 17-23).

As to claim 18, Elsberg discloses a strength of the frangible bond is in a range from about 500 grams to about 1000 grams (col. 17, lines 17-23).

As to claim 19, Elsberg discloses a disposable garment, comprising: a chassis including a first front side panel and a second front side panel, a first back side panel and a second back side panel, and defining a waist opening and first and second leg

Art Unit: 3761

openings (Figure 4); each front side panel having an inner surface and an outer surface and defining a distal edge; each back side panel having an inner surface and an outer surface and defining a distal edge (Figure 4); a first frangible bond 80 connecting the first front side panel and the first back side panel; a second frangible bond 82 connecting the second front side panel and the second back side panel; wherein each of the front side panels comprises a fastening component bonded to one of the inner and the outer surfaces adjacent the distal edge of the front side panel (Figure 4), and each of the back side panels comprises a mating fastening component bonded to one of the inner and the outer surfaces adjacent the distal edge of the back side panel (Figure 4), the fastening component and the mating fastening component being in the unfastened condition (col. 17, lines 65 through col. 18, line 9); and wherein each of the front side panels defines a distance between the fastening component and the distal edge, and each of the back side panels defines a distance between the mating fastening component and the distal edge (Figure 4).

As to claim 20, Elsberg discloses the frangible bonds can be continuous lines (col. 16, line 62). Since the frangible bonds 80, 82 are shown at the waist opening and leg opening (Figure 2), it is reasonable to conclude a continuous bond would also extend from the waist to the leg opening.

As to claim 21, see Figure 2.

Art Unit: 3761

As to claim 29, Elsberg discloses a strength of each of the frangible bonds is less than about 2700 grams (col. 17, lines 17-23).

As to claim 30, Elsberg discloses a strength of each of the frangible bonds is less than about 2000 grams (col. 17, lines 17-23).

As to claim 31, Elsberg discloses a strength of each of the frangible bonds is in a range from about 500 grams to about 1000 grams (col. 17, lines 17-23).

As to claim 32, Elsberg discloses the first and second frangible bonds 80,82 is located on at least one tab 56, which extends from the distal edge of at least one of the side panels (Figure 4).

As to claim 33, see Figure 4.

As to claim 34, see col. 16, lines 17-22).

As to claim 35, the frangible bonds are aligned with the fastening components on the front panel (Figure 4).

As to claim 36, Elsberg discloses an absorbent garment, comprising: a chassis including a first front side panel and a second front side panel, a first back side panel

Art Unit: 3761

and a second back side panel, defining a waist opening and first and second leg openings, and each front side panel and each back side panel having an inner surface and an outer surface; each front side panel defining a distal edge; each back side panel defining a distal edge (Figure 4); a first frangible bond 80 connecting the first front side panel and the first back side panel; and a second frangible bond 82 connecting the second front side panel and the second back side panel; each front side panel and each back side panel having a nonwoven substrate (col. 5, lines 36-37) and at least one of the front side panels and the back side panels defining an attachment surface 66; and at least one fastening component 64 bonded to one of the front side panels and the back side panels on one of the inner surface and the outer surface, the at least one fastening component comprising a mechanical fastening element adapted to refastenably engage the attachment surface.

As to claim 37, see Figure 3.

As to claim 38, Elsberg discloses an alternate configuration where the at least one fastening component is bonded to the outer surface of the chassis (col. 11, lines 21-31).

As to claim 39, Elsberg discloses the absorbent garment of claim 36 wherein the attachment surface comprises complementary loop fasteners (col. 13, lines 15-34).

Art Unit: 3761

As to claim 40, Elsberg, discloses the absorbent garment of claim 36 wherein the attachment surface comprises complementary hook fasteners (col. 13, lines 15-34).

As to claim 41, see Figure 4, elements 80, 82 on the front panel.

As to claim 42, see Figure 4, elements 80, 82 on the back panel.

As to claim 43, the frangible bonds are aligned with the fastening components on the front panel (Figure 4).

As to claim 46, Elsberg discloses a strength of each of the frangible bonds is less than about 2700 grams (col. 17, lines 17-23).

As to claim 47, Elsberg discloses a strength of each of the frangible bonds is less than about 2000 grams (col. 17, lines 17-23).

As to claim 48, Elsberg discloses a strength of each of the frangible bonds is in a range from about 500 grams to about 1000 grams (col. 17, lines 17-23).

As to claim 52, An absorbent garment, comprising: a chassis including a first front side panel and a second front side panel, a first back side panel and a second back side panel, defining a waist opening and first and second leg openings, and

Art Unit: 3761

each front side panel and each back side panel having an inner surface and an outer surface; each front side panel defining a distal edge (Figure 4); each back side panel defining a distal edge; a first frangible bond 80 connecting the first front side panel and the first back side panel; and a second frangible bond 82 connecting the second front side panel and the second back side panel; a portion of the chassis having a nonwoven substrate defining an attachment surface 66; and at least one fastening component bonded to one of the front side panels and the back side panels on one of the inner surface and the outer surface, the at least one fastening component comprising a mechanical fastening element adapted to refastenably engage the attachment surface (col. 13, lines 15-34).

As to claim 53, see Figure 4, elements 80, 82 on the front panel.

As to claim 54, see Figure 4, elements 80, 82 on the back panel.

As to claim 55, the frangible bonds are aligned with the fastening components on the front panel (Figure 4).

As to claim 56, Elsberg discloses a strength of each of the frangible bonds is less than about 2700 grams (col. 17, lines 17-23).

As to claim 57, Elsberg discloses a strength of each of the frangible bonds is less than about 2000 grams (col. 17, lines 17-23).

As to claim 58, an absorbent garment, comprising: a chassis including a first front side panel and a second front side panel, a first back side panel and a second back side panel, and each front side panel and each back side panel having an inner surface and an outer surface; one of the front side panels and the back side panels comprising a nonwoven substrate and defining an attachment surface 66; and at least one fastening component 64 bonded to the inner surface of one of the front side panels and the back side panels, the at least one fastening component comprising a mechanical fastening element adapted to refastenably engage the attachment surface ; wherein the at least one fastening component engages the attachment surface (col. 13, lines 15-34), and the inner surface of the first front side panel faces the inner surface of the first back side panel (Figure 2).

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

8. Claims 5-7, 22-28, 44, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elsberg USPN 6287287.

As to claims 5-7, 28, 44, and 45, Elsberg discloses the present invention substantially as claimed. However, Elsberg is silent on the width of the frangible bonds. Elsberg teaches various shapes and configurations for the frangible bonds to provide bonds suitable for maintaining the diaper in a prefastened condition (col. 16, lines 54-67). One having ordinary skill in the art would be able to determine through routine experimentation the ideal size of the frangible bonds for a particular application.

As to claims 22-27, Elsberg discloses the present invention substantially as claimed. However, Elsberg is silent on the distance between the fastening components and the distal edges of the front and back panels. Elsberg teaches various configurations for the fastening components to provide a fastening system suitable for maintaining the diaper in a engaging the front and back panels so that the diaper can encircle the waist and hips of the wearer (col. 11, lines 59). One having ordinary skill in the art would be able to determine through routine experimentation the ideal size of the

Art Unit: 3761

fasteners and distance from the distal edges of the panels to maintain the article in a fastened condition in use.

***Allowable Subject Matter***


9. Claim 59 is allowed.
10. Claims 49-51 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline F Stephens whose telephone number is (703) 308-8320. The examiner can normally be reached on Monday-Friday 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Larry Schwartz can be reached on (703)308-1412. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3761

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Jacqueline F Stephens  
Examiner  
Art Unit 3761

October 4, 2004